

| No. | Part Number               | Part                  | Qty | Description                            |
|-----|---------------------------|-----------------------|-----|--|
| 1   | 025-517                   | Packing               | 7   | for Sta/Gen Magnetic Carbon Seal       |
| 2   | 030-611-0                 | Tire Nose             | 1   |  |
| 3   | 03-1302-0003              | NAV & STOROBO ASSY    | 1   | LH & RH                                |
| 4   | 03-1302-0004              | NAV & STOROBO ASSY    | 1   |  |
| 5   | <del>064-01054-0050</del> | <del>VHF COMM</del>   | 4   | <del>KY 196A S/N 20047</del>           |
| 6   | 0861100-127               | Tip Trim Indicator    | 2   |  |
| 7   | 116-517                   | Packing               | 2   | for Gear Box Breather Tube Carbon Seal |
| 8   | 1173T42-4                 | Switch                | 1   | 230F Under Temperature (serviceable)   |
| 9   | 118-517                   | Packing               | 4   | for Sta/Gen Magnetic Carbon Seal       |
| 10  | 12C204                    | Valve Fuel Check      | 1   |  |
| 11  | 1308                      | Bulb                  | 5   | for Passenger Overhead Light           |
| 12  | 1309                      | Bulb                  | 3   | for Map & Flood Light                  |
| 13  | 16920                     | Static Wick           | 6   | long                                   |
| 14  | 16930                     | Static Wick           | 4   | short                                  |
| 15  | 1SE1-3                    | Micro SW              | 2   | for Flap Position                      |
| 16  | 2-1559-2                  | Brake Assy            | 2   | Removed. Use as Core                   |
| 17  | 20666-6-250               | Filter Screen In-line | 1   | for Brake Reservoir Filter             |
| 18  | 21548-2-19-6              | Switch                | 1   | Engine Lip Temperature                 |
| 19  | 2-214S469-40              | Packing               | 2   | for Bleed Pipe Wing Anti-ice           |
| 20  | 222K08-1                  | Tire Main             | 2   |  |
| 21  | 24096-150C                | Gasket                | 2   | for Engine Bleed Pipe                  |
| 22  | 24235-50846-D             | Exciter Ignition      | 1   | CH92007 Exchange use as core           |
| 23  | 24346-100C                | Gasket                | 13  | for Engine Bleed Pipe                  |
| 24  | 24346-150C                | Gasket                | 10  | for Engine Bleed Pipe                  |
| 25  | 3-1527-1                  | Wheel Assy Main       | 2   | servisable x2                          |
| 26  | 34-0226010-91             | Lamp 150W             | 5   | for Rotating Beacon Light              |
| 27  | 45958                     | Screen Filter         | 2   | Last Chance Filter                     |
| 28  | 479729                    | Filter                | 2   | for Alcohol Pump                       |
| 29  | 49-155-1                  | Plug Thermal Relief   | 3   | for Main Wheel                         |
| 30  | 49-310                    | Plug OverInflation    | 1   | for Main Wheel                         |
| 31  | 42FLW524                  | LOCK NUT              | 10  | for Nose Wheel                         |
| 32  | 50707                     | SW Fuel Filter Bypass | 1   |  |
| 33  | 50817                     | Nozzle Fuel           | 1   | used                                   |

|    |                      |                              |    |   |
|----|----------------------|------------------------------|----|---|
| 34 | 50852(53279)         | Ignitor Lead Assy short      | 1  |   |
| 35 | 50033014-1           | Lens Assy Prismatic          | 1  | for Landing Light                         |
| 36 | 53221(50853)         | Ignitor Lead Assy long       | 1  |   |
| 37 | 57846                | Spark Ignitor                | 4  | CH31876-6⇒CH31956                         |
| 38 | 5514120-100          | Gasket                       | 3  | for Engine Bleed Pipe                     |
| 39 | 5526300-21           | Braket                       | 2  | for fuel flapper c'k valve                |
| 40 | 5550001-9            | Placard                      | 8  | for Fuel Drain Plug                       |
| 41 | 5550001-32           | Placard                      | 5  | for Wing Fill Port                        |
| 42 | 51134-100A           | Gasket                       | 9  | for Engine Intake Lip Pipe                |
| 43 | 6208031-111          | Diode AY                     | 1  |   |
| 44 | 6208031-113          | Diode 3AMP                   | 1  |   |
| 45 | 6317001-45           | Placard                      | 1  | for HYD Reservoir                         |
| 46 | 6318323-3            | PC board                     | 1  |   |
| 47 | 6318324-1            | PC board                     | 1  |   |
| 48 | 6705001-19           | Silkscreen                   | 1  | for Wing Fill Port Jet fuel only          |
| 49 | 68-1312              | Seal Assy                    | 2  | for Nose Wheel                            |
| 50 | 68-1316              | Seal Assy Outer              | 2  | for Main Wheel                            |
| 51 | 68-1406              | Seal Assy Inner              | 1  | for Main Wheel                            |
| 52 | 68-216               | Packing                      | 2  | for Main & Nose Wheel                     |
| 53 | 6838 long            | Bulb                         | 12 | for Ice Detection, Ignition, Test SW, etc |
| 54 | 6839(OL6839BPE/GPL)  | Bulb                         | 10 | for each Select SW (DME, NAV, etc)        |
| 55 | 68-450               | Packing                      | 6  | for above Plug                            |
| 56 | 7011974-1            | Lamp                         | 5  |   |
| 57 | 7011974-3            | Lamp                         | 5  |   |
| 58 | 7593108-102(55693)   | Element Filter               | 2  | for ENG Fuel Pump                         |
| 59 | 8417                 | Guard                        | 1  |   |
| 60 | 959-1                | Wiper Ring                   | 2  |   |
| 61 | 97-157               | Weight                       | 4  | for Nose Wheel                            |
| 62 | 97-158               | Weight                       | 1  | for Nose Wheel                            |
| 63 | 97-159               | Weight                       | 1  | for Nose Wheel                            |
| 64 | 97-160               | Weight                       | 1  | for Nose Wheel                            |
| 65 | 9912020-10           | Fuel Filler Cap Assy         | 1  |   |
| 66 | <del>9912125-1</del> | <del>Starter/Generator</del> | 4  | S/N 92481 装検 No. 07 0694                  |
| 67 | 9912164-1(123479)    | TX Oil Pressure              | 1  | S/N 48429                                 |
| 68 | 9912178-4            | SW Oil Pressure Low          | 1  |   |

|     |                    |                         |              |  |
|-----|--------------------|-------------------------|--------------|--|
| 69  | 9912372-1          | Element Filter          | 2            | for Power Brake Pump Filter            |
| 70  | 9912372-10         | Element HYD Filter      | 3            | Return side                            |
| 71  | 9912372-7          | Element HYD Filter      | 2            | Pressure side                          |
| 72  | 9914058-6          | Battery Assy            | 1            | servisable after recondtion            |
| 73  | AE776L8-4S         | Connector               | 1            |  |
| 74  | AN3-6A             | Bolt                    | 50           |  |
| 75  | AN901-8A           | Gasket                  | 4            | for above SW                           |
| 76  | B812               | Bearing                 | 2            |  |
| 77  | C4391-8-290        | Switch                  | 1            | Nose Avionics Temprature               |
| 78  | CM6839             | Lamp                    | 4            |  |
| 79  | <del>JCLF144</del> | <del>Kit Oil Soap</del> | <del>2</del> | -                                      |
| 80  | H1032              | Nut                     | 24           | for Cabin Inner Trim                   |
| 81  | IN4006             | DIODE                   | 104          | 21-30-00-01-10 35-00-00-0-159          |
| 82  | JE5                | Actuator Assy           | 2            | for Micro SW (Single Type)             |
| 83  | LM 29710           | Bearing                 | 2            | for Nose Wheel                         |
| 84  | LM29749            | Bearing Cone            | 3            | for Nose Wheel                         |
| 85  | LM503349A          | Bearing Cone            | 1            | for Main Wheel                         |
| 86  | M25988/1-010       | Packing                 | 5            | for Fuel Drain Plug (small)            |
| 87  | M25988/1-212       | Packing                 | 12           | same                                   |
| 88  | M6106/19-012       | Relay                   | 1            | LH ignitor power KZ039                 |
| 89  | M6106/27-003       | Relay                   | 2            | for Thrust Attenuator Deploy           |
| 90  | M6106/28-003       | Relay                   | 1            | for Thrust Attenuator Stow             |
| 91  | M81714/65-20-1     | Splice                  | 2            |  |
| 92  | M81714/65-20-2     | Splice                  | 3            |  |
| 93  | M81824/1-1         | Splice                  | 10           |  |
| 94  | M83248/1-009       | Packing                 | 99           | for Magnetic Chip Detector inner       |
| 95  | M83248/1-010       | O-ring                  | 9            |  |
| 96  | M83248/1-014       | Packing                 | 4            | for Fuel Filter Bypass SW              |
| 97  | M83248/1-026       | Packing                 | 2            | for Gear Box Breather Tube Carbon Seal |
| 98  | M83248/1-128       | Packing                 | 2            | for Sta/Gen Magnetic Carbon Seal       |
| 99  | M83248/1-134       | Packing                 | 46           | for Sta/Gen Magnetic Carbon Seal       |
| 100 | M83248/1-152       | Packing                 | 2            | for Sta/Gen Magnetic Carbon Seal       |
| 101 | M83248/1-214       | Packing                 | 14           | same                                   |
| 102 | M83248/1-226       | Packing                 | 17           | for above Filter                       |
| 103 | M83248/1-902       | Packing                 | 6            | for Drain Oil Pump Housing             |

|     |                             |                     |     |  |
|-----|-----------------------------|---------------------|-----|--|
| 104 | M83248/1-904                | Packing             | 12  | for Fuel Nozzle & Last Chance Filter     |
| 105 | M83248/1-906                | Packing             | 32  | for Magnetic Chip Detector outer         |
| 106 | M83248/1-908                | Packing             | 46  | for Fuel Filter Bypass SW                |
| 107 | M83461/2-904                | Packing             | 17  | LG Actuator HYD                          |
| 108 | M85049/52-1-08N             | Backshell           | 1   |  |
| 109 | MC15983                     | Gasket              | 6   | for HYD Pump                             |
| 110 | MS15570-303(303)            | Bulb                | 2   | for FWD Facing Seat Light                |
| 111 | MS15573-3(356)              | Bulb                | 4   | for Emergency Overwing Light             |
| 112 | MS16624-1050                | Packing             | 50  | for Cabin Door Attaching Parts           |
| 113 | MS21042-3                   | Nut                 | 2   |  |
| 114 | MS21042-5                   | Nut                 | 2   |  |
| 115 | MS21042L3                   | Nut                 | 100 |  |
| 116 | MS24694S4                   | Screw               | 85  |  |
| 117 | MS24694S49                  | Screw               | 95  |  |
| 118 | MS24694S5                   | Screw               | 100 |  |
| 119 | MS25083-2AB8                | JUMPER              | 2   | 21-30-00-01-10 35-00-00-0-158            |
| 120 | MS25237-327                 | Bulb                | 3   | for Landing Gear Position Light Main     |
| 121 | MS25237-328(GE328)          | Bulb                | 7   | for Landing Gear Position Light Nose     |
| 122 | MS25309-7512(34-0428020-65) | Lamp                | 4   | for Navigation Wing                      |
| 123 | MS 2 5338-7079(WA7079B24)   | Bulb                | 5   | for Inspection Wing Light                |
| 124 | MS27039-1-07                | Screw               | 100 |  |
| 125 | MS28034-3                   | Bulb Oil Tempretuer | 1   |  |
| 126 | MS28774-012                 | Packing             | 11  | for HYD Manifold                         |
| 127 | MS28774-014                 | Packing             | 4   | for HYD Manifold                         |
| 128 | MS28774-016                 | Packing             | 58  | for loading valve                        |
| 129 | MS28774-222                 | Ring Backup         | 25  | same                                     |
| 130 | MS28774-227                 | Ring Backup         | 3   | same                                     |
| 131 | MS28774-333                 | Retainer Backup     | 4   | for Nose Landing Gear Strut              |
| 132 | MS28775-011                 | Packing             | 4   |  |
| 133 | MS28775-012                 | Packing             | 21  | for Bake Master Cylinder                 |
| 134 | MS28775-014                 | Packing             | 7   | for HYD Manifold and for above Plug      |
| 135 | MS28775-015                 | Packing             | 2   | for Power Brake Accumulator Filler Valve |
| 136 | MS28775-035                 | Packing             | 4   | for Main Landing Gear Strut              |
| 137 | MS28775-111                 | Packing             | 4   | for HYD pump Drive Shaft                 |
| 138 | MS28775-112                 | Packing             | 4   | for shimmy damper                        |

|     |                         |                   |    |   |
|-----|-------------------------|-------------------|----|---|
| 139 | MS28775-146             | Packing           | 4  | for Main Landing Gear Strut                     |
| 140 | MS28775-214             | Packing           | 25 | for shimmy damper                               |
| 141 | MS28775-217             | Packing           | 25 | for shimmy damper                               |
| 142 | MS28775-222             | Packing           | 5  | for above Filter                                |
| 143 | MS28775-227             | Packing           | 13 | for above Filter                                |
| 144 | MS28775-231             | Packing           | 4  | for Main Landing Gear Strut                     |
| 145 | MS28775-325             | Packing           | 2  | for Nose Landing Gear Strut                     |
| 146 | MS28775-332             | Packing           | 4  | for Main Landing Gear Strut                     |
| 147 | MS28775-333             | Packing           | 4  | for Nose Landing Gear Strut                     |
| 148 | MS28778-4               | Packing           | 1  | LG Actuator HYD                                 |
| 149 | MS28778-5               | Packing           | 24 | for Nose Landing Gear Strut                     |
| 150 | MS28778-6               | Packing           | 9  | for HYD system                                  |
| 151 | MS28778-8               | Packing           | 25 | for HYD Reservior Filler Plug and shimmy damper |
| 152 | MS28778-10              | Packing           | 26 | for Brake Rservior Filler Plug                  |
| 153 | MS28778-16              | Packing           | 10 | for Power Brake Line                            |
| 154 | MS28889-2               | Valve Assy Filler | 1  | for Power Brake Acumlater                       |
| 155 | MS29512-03              | Packing           | 2  |   |
| 156 | MS29512-04              | Packing           | 28 |   |
| 157 | MS29512-08              | Packing           | 1  |   |
| 158 | MS29512-12              | Packing           | 4  | for Fuel Check Valve                            |
| 159 | MS29513-010             | Packing           | 32 | for Fuel Filler Cap & Skid Plate                |
| 160 | MS29513-217             | Packing           | 2  | for Fuel Check Valve                            |
| 161 | MS33737-16              | Nut               | 1  | 21-30-00-01-10 35-00-00-0-157                   |
| 162 | MS35478-1683(GE1683)    | Lamp              | 3  | for Navigation Tail                             |
| 163 | MS35478-307(GE307)      | Bulb              | 2  | for Baggage Compartment Light                   |
| 164 | MS35675-4               | PIN               | 12 |   |
| 165 | MS35675-12              | PIN               | 12 |   |
| 166 | MS9058-04               | Ring Backup       | 26 | for Bake Master Cylinder                        |
| 167 | MS9068-011              | Packing           | 2  | for Engine Bleed Pipe                           |
| 168 | MS9068-012              | Packing           | 2  | for Engine Bleed Pipe                           |
| 169 | MS9068-016              | Packing           | 2  | for Engine Bleed Pipe                           |
| 170 | MS9385-05               | Packing           | 4  | for SW Bleed Air Overheat                       |
| 171 | MS9388-110 (AS3209-110) | Packing           | 25 | for Oil Temprature Bulb (AS3209-110)            |
| 172 | MS9388-210              | Packing           | 2  | for Oil Filler Cap                              |
| 173 | MS9388-214              | Packing           | 2  | for Bleed Pipe Windshield                       |

|     |                |                |    |  |
|-----|----------------|----------------|----|--|
| 174 | N5MC4          | Connector      | 2  | for Out Flow Valve                       |
| 175 | NAS1523-08Y    | Washer         | 2  | for shimmy damper                        |
| 176 | NAS1593-020    | Packing        | 5  | for Fuel Drain Plug (Large)              |
| 177 | NAS1593-113    | Packing        | 2  | for Starter/Generator                    |
| 178 | NAS1602-10     | Gasket         | 5  | for Alcohol Reservoir Fill Plug          |
| 179 | NAS1611-015    | Packing        | 10 | for Nose Landing Gear Strut              |
| 180 | NAS1922-0825-1 | Clamp          | 1  | for Air Conditioning Compressor Air Duct |
| 181 | NAS617-05      | Packing        | 23 |  |
| 182 | NAS617-4       | Packing        | 4  | for Oil Pressure Low SW                  |
| 183 | NAS617-12      | Packing        | 4  | for Oil Pressure TX                      |
| 184 | OL6839PA       | Lamp           | 10 |  |
| 185 | OL685AS15-297  | Lamp           | 4  |  |
| 186 | Q4681          | Lamp           | 15 | for Landing Light                        |
| 187 | R512-10        | Gasket         | 10 | for Bleed Air Service Line               |
| 188 | R512-16        | Gasket         | 2  | for Bleed Air Service Line               |
| 189 | RG30           | Gromet         | 14 | for Wheel Filler Valve Stem              |
| 190 | RSN75SK        | Ring Retaining | 1  | for Shimmy Damper Retaining              |
| 191 | S11K13RA       | Seal           | 4  | for Tab Control Cable -Pressure Bulkhead |
| 192 | S11K14R        | Seal           | 3  | for Control Cable -Pressure Bulkhead     |
| 193 | S1628-332      | Ring Backup    | 11 | for Main Landing Gear Strut              |
| 194 | S2088 4        | Switch         | 1  |  |
| 195 | S2226-2        | Clamp          | 2  | for Precooler Control Cable              |
| 196 | S2876-1BB4     | JUMPER         | 4  |  |
| 197 | S3278C4        | Packing        | 25 | for above SW                             |
| 198 | S3278C6        | Packing        | 32 | for above SW                             |
| 199 | S3365-1        | Gasket         | 3  | for Starter/Generator                    |
| 200 | S33829-334G1   | Ring Scraper   | 4  | for Main Landing Gear Strut              |
| 201 | S378-3         | Pulley         | 5  |  |
| 202 | S378-4         | Pulley         | 2  |  |
| 203 | S402SC         | Collar         | 1  | for Bake Master Cylinder                 |
| 204 | S4RS2B         | Gasket         | 3  | for Bake Master Cylinder                 |
| 205 | TRC4           | Valve Inside   | 5  | for Main & Nose Wheel                    |